WCCTV Mini Dome Solar Trailer



KEY PRODUCT BENEFITS



Complete Managed Service



Multiple Camera Inputs



Invisible Perimeter



Remote Access to Footage



HD PTZ with Smart IR



Live Audio Challenges



24/7/365 Autonomy



Proactive Site Protection



GPS Location Information



Ongoing Health Check

www.wcctv.com

WCCTV Mini Dome Solar Trailer

The WCCTV Mini Dome Solar Trailer is an autonomously-powered surveillance trailer that can be rapidly deployed at practically any location, providing security for construction job sites, parking lots, public events or any off-grid location that requires video monitoring.


It takes just minutes to install the WCCTV Mini Dome Solar Trailer at your locations, and it can easily be moved as your applications change. It is an ideal surveillance solution for locations without any fixed infrastructure for power or video transmission.

The trailer is fitted with up to 4 of WCCTV's 4G Pole Cameras. All live and recorded footage is accessed via 4G LTE connectivity, so users can remotely access the cameras any time from any device.

The system contains inbuilt video analytics functionality providing verification and alerts, allowing for automated and intelligent surveillance. WCCTV's 4G Pole Cameras all feature additional input channels, allowing the integration of up to 3 extra fixed or PTZ cameras, all utilizing the feature-rich capabilities of the primary pole camera deployed on a solar trailer.

The trailer features a telescoping 20ft tower that rotates nearly 360 degrees and is equipped with highly reliable 260W, 390W or 520W autonomous solar power, which is suitable for most locations.

The system weighs less than 2100 lbs, making it towable by most vehicles.



Security



Protect Critical Infrastructure

on Remote Sites



Project Management

Demolition



Major Public Events Safety

Security



Health and Safety Review

Monitoring



Business & Parking Lot Security

Surveillance



Public Space Monitoring

www.wcctv.com

PRODUCT SPECIFICATION

	Dimensions (HxWxD)	96" x 78" x 157" (Transport) 78" x 78" x 225" (Deployed)
Networking	Operating Temperature Range	-22 to +122°F
	Power	800A.H - 45A.H @ 12V / 520W Solar Array
	Power Consumption	110V charger
	Weight	2100lb
	Software Upgrade	Internet / 4G / back to back PC
	Warranty	12 months warranty with options for extended warranty
	Video Inputs	10
	Remote PC Client	Client Software Free Download
	Remote Web Browser Client	Viewing
	Password Protected	
	Remote Smartphone (iPhone) Compatible	Yes
	Remote Tablet (iPad) Compatible	



WCCTV is headquartered in Dallas, TX, with an established deployment network across the United States. To find out more about WCCTV Mini Dome Solar Trailer please contact our USA Head Office:



Wireless CCTV LLC 851 International Pkwy, Suite 140, Richardson Texas, 75081

t: +1 877 805-9475 e: sales@wcctv.com



www.wcctv.com